

**GENERAL SERVICES ADMINISTRATION (GSA)  
FEDERAL SUPPLY SERVICE  
AUTHORIZED FEDERAL SUPPLY SCHEDULE  
TERMS & CONDITIONS and PRICE LIST**

*On-line access to contract ordering information, terms and conditions,  
pricing and the option to create an electronic purchase order  
are available through **GSA Advantage!***

*The web address for this menu driven data base system is:*

[https://www.gsaadvantage.gov/advgsa/advantage/main/start\\_page.do](https://www.gsaadvantage.gov/advgsa/advantage/main/start_page.do)

**Schedule:** Schedule 23V – Vehicular Multiple Award Schedule (VMAS)

**Federal Supply Group:** 42

**Contract Number:** GS-30F-0046V

**Special Item Number(s):** 190-05

**Contract Period:** July 24, 2009 – Five (5) years, w/three (3), five (5) year options

**Business Size:** Small Business

**Contractor:** Colonial Equipment Company  
5171 Intercoastal Court  
Monrovia, MD 21770  
Phone: 301.698.5100 | Fax: 301.698.5117  
<http://www.GSATrailers.com>

**Contract Administrator:** Barry Fitzgerald  
301.698.5100  
[bfitz@gsabuses.com](mailto:bfitz@gsabuses.com)

# GSA Awarded Terms & Conditions

## Colonial Equipment Company

- 1a. Table of awarded special item numbers with appropriate cross-reference to item descriptions and awarded prices.

190-05: Mobile Command Trailer; Model: MOTCOM8526TA4 Commercial Steel Tag Trailer; Color: Polar White .040 aluminum; (2) 6,000# Torsion Axels; Dimensions: 8.5 ft W by 26 ft L by 8 ft H; w/Fully Undercoated Steel Frame; Electric Brakes – all axles; Wire grommets; Gel Cell battery breakaway kit; One-piece aluminum roof; L.E.D. clearance and Slim Line break lights; Front/rear scissor jack pairs; Trussed roof; In-floor spare tire compartment; Aluminum slide in/out steps; 17 ft awning w/Weatherguard; 50A breaker box; 12 kW Onan Generator Package; (2) 13.5K BTU A/C; (2) 1,000W 110V Heater; 32" Flat Panel LCD TV; Command Center Bathroom & Kitchenette; Communication Package; Roof Package; Safety Package; Egress Window; Stainless Steel countertops & aluminum cabinets; Laminate conference table w/removable legs; Rollover sleeper/sofas; Equipment Rack; Sentry Gun Safe.

*or*

190-05: Mobile Command Trailer; Model: MOTGCOM8542TTA5 Commercial Steel Gooseneck Trailer; Color: Polar White .040 aluminum; (3) 7,000# Torsion Axels; Dimensions: 8.5 ft W by 42 ft L by 8 ft H; w/Fully Undercoated Steel Frame; Electric Brakes – all axles; Wire grommets; Gel Cell battery breakaway kit; One-piece aluminum roof; L.E.D. clearance and Slim Line break lights; Front/rear scissor jack pairs; 58" side ramp door; 17 ft. awning with Weatherguard; 50A breaker box; 20 kW PowerTech Diesel Generator Package; (3) 13.5K BTU A/C; (3) 1,000W heater; 32" & 42" Flat Panel LCD TVs; Command Center Bathroom & Kitchenette; Communication Package Roof Package; Safety Package; Egress Windows; Stainless Steel countertops & aluminum cabinets; Laminate conference table w/removable legs; Rollover sleeper/sofas; Equipment Rack; Sentry Gun Safe.

- 1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract.

190-05: Model: MOTCOM8526TA4 – \$ 68,971.76

- 1c. **Hourly rates:** NOT APPLICABLE
2. **Maximum order:** 50 (fifty) units
3. **Minimum order:** 1 (one) unit
4. **Delivery scope:** Domestic
5. **Time of Delivery:** 180 days ARO
6. **Expedited Delivery:** None
7. **Point of production:** The Aluminum Trailer Company (ATC)  
Attn: Mr. Dale Davis

306 South Nappanee St.  
PO Box 396  
Nappanee, IN 46550  
Toll Free: (877) 441-2440 | Phone: (574) 773-2440 | Fax: (574) 773-7769

8. **Quantity discounts:** 4 units: additional 1% of base; 8 units: additional 2% of base; 15 units: additional 3% of base; 25-50 units: additional 4% of base
9. **Payment terms:** Net 30 days
10. **Industrial Funding Fee (IFF):** ¾ of 1% IFF included in price
11. **Free on Board (FOB) Point:** FOB Origin
12. **Commercial Pricelist:** January 2009
13. **Blanket Purchase Agreements (BPA):** Accepting BPAs
14. **Brand Name:** ATC
15. **Inspection:** Inspection is at Destination; however the Government retains the right to inspect at source in accordance with clause 552.246-71.
- 16a. **Ordering address:** Colonial Equipment Company  
5171 Intercoastal Court  
Monrovia, MD 21770  
Attn: GSA Trailers  
Phone: 301.698.5100 | Fax: 301.698.5117  
[bfitz@gsabuses.com](mailto:bfitz@gsabuses.com)
- 16b. **Ordering procedures:** The ordering procedures and information on Blanket Purchase Agreements (BPAs) and a sample BPA can be found at the GSA/FSS Schedule website:  
<http://www.gsa.gov/Portal/gsa/ep/channelView.do?pageTypeId=17112&channelId=-24731>
17. **Payment address:** Colonial Equipment Company  
5171 Intercoastal Court  
Monrovia, MD 21770  
Attn: Federal Accounts Receivable  
[bfitz@gsabuses.com](mailto:bfitz@gsabuses.com)
18. **Warranty provision; (3) Three Year Limited Warranty – (5) Five Year Limited Structural Warranty:** The Aluminum Trailer Company Inc. (ATCI) warrants to the original consumer for a period of three (3) years from the date of purchase the trailer manufactured by ATCI shall be free from manufacturing defects in materials and workmanship supplied and attributable to ATCI. This warranty is non-transferable and is limited to defects in workmanship performed by ATCI only. Other components such as but not limited to tires, wheels, axles, awnings, couplers, generators, hydraulic pumps, jacks, winches, air conditioners, doors, 3M VHB, windows etc are covered by OEM warranties and thus must be filed with the OEM. Also ATCI's warranty does not cover special paints, decals or graphics. The five (5) year structural warranty covers the structural portion of the ATCI trailer shall be free from manufacturing defects in materials and workmanship supplied and attributable to ATCI. The structural portion of the warranty shall include the

main aluminum frame and all the aluminum members welded to it, the studs and framing in the walls and roof members. All other items are covered by the standard three (3) year limited warranty.

The ATCI warranty is valid only if the trailer is (a) Returned to ATCI or (b) Returned to a repair facility authorized by ATCI. Reasonable notification must be given for all repairs. A written estimate must be provided to ATCI prior to work being performed. Loss of time, inconvenience, loss of use of trailer, rental or substitute equipment, loss of revenue or other commercial loss is not covered by this warranty. This warranty does not cover freight to or from ATCI for repairs. The original purchaser of the warrantor's product and any person to whom the product is transferred, and any person who is an intended user or beneficiary of the product shall not be entitled to recover from the warrantor any consequential or incidental damages resulting from any defect in the product. Damages include loss of use of the trailer, loss of revenues or any other commercial losses, subsequent use of rental equipment, loss of time and inconvenience.

This warranty is void if the product has been abused, overloaded, inappropriately loaded, neglected or misused in any way. ATCI reserves the exclusive right to determine whether or not the customer has misused the product. The purchaser must notify the warrantor (ATCI) at the address below of any defect within fifteen days after it is, or should have been discovered. Purchaser must complete and return to ATCI the warranty form at the bottom to obtain warranty service within 30 days of purchase.

The 3M VHB tape used for bonding the seams on the screwless exterior has a limited temperature rating. In extreme situations, if units exceed this temperature, this may cause problems with the screwless exterior. If problems should arise with the screwless exterior, ATCI will apply rivets or screws in the walls as a part of our warranty procedure.

19. **Export:** NOT APPLICABLE
20. **Terms and conditions of Government Purchase Card (GPC):** NOT APPLICABLE
21. **Terms and conditions of rental, maintenance, and repair:** NOT APPLICABLE
22. **Terms and conditions of installation:** NOT APPLICABLE
23. **Terms and conditions of repair parts:** NOT APPLICABLE
24. **List of service and distribution points:** NOT APPLICABLE
25. **List of participating dealers:** NOT APPLICABLE
26. **Preventive maintenance:** Please refer to the Owner's Manual for further information
27. **Special attributes such as environmental attributes:** NOT APPLICABLE
28. **Notification regarding registration in Central Contractor Registration (CCR) database:**  
CAGE Code – 1B5X5
29. **Data Universal Number System (DUNS) number:** 06-906-7502

# Mobile Command Center Pricing | GS-30F-0046V

SIN	MFG MODEL/ PART NUMBER	OPTION DESCRIPTION	GSA PRICE
190-05	MOTCOM8526TA4/ 26TA4	<p>Base Unit Mobile Command Trailer; Polar White .040; (2) 6000# Torsion Axles; 8.5 ft. W x 26 ft. L x 8 ft. H</p> <p><b>Standard Features:</b></p> <p><b>FRAME:</b> Fully undercoated steel frame; all-tube walls and ceiling torsion axles; EZ Lube hubs; electric brakes – all axles; Gel Cell battery breakaway kit; 2-5/16" ball/coupler, safety chains and hooks; 16" O/C floor and roof cross members and wall supports; single speed manual jack; smooth aluminum radius wheel boxes; flat front design</p> <p><b>INTERIOR:</b> AdvanTech sub floor; open stud walls and ceiling; wire grommets; Command Center Bathroom: sink and cabinet, bathroom hardware, 12V power roof vent, 120V GFI receptacle, 24" fluorescent light, 12V dome light, vanity mirror, porcelain toilet, 80 GAL fresh water tank, 45 GAL Gray tank, 24 GAL Black tank, 2.5 GAL electric water heater, 5.7 GPM water pump; Command Center Kitchenette: 6 cu ft refrigerator – 3-way cabinet for refrigerator, kitchen sink and cabinet, microwave installed above fridge, 18" 12V fluorescent light; 32" flat panel LCD TV: TV Prep – includes all outlets and wiring, 120V receptacle, composite RCA connection, wall backer and wall mount; Communication Package: (4) Workstations – (2) 120V receptacles, (2) CAT5 data ports, (1) voice port, all wire runs to one location; upgrade to reverse beavertail; (13) upper aluminum cabinets (16" H x 14" D); (13) x stainless steel countertop; laminate conference table w/removable legs; (2) rollover sleeper/sofa 84" L</p> <p><b>EXTERIOR:</b> 3" upper/lower rub rail trim; .030 aluminum; polished front verticals; color coordinated rivets on seams; one-piece aluminum roof; gray mod wheels w/chrome cap; 7-way plug; 24" high ATP stone guard; ST235/80R16LRE radial tires; L.E.D. clearance and Slim Line brake lights; 12" extended tongue; trussed roof – (allows for ducted A/C and complex wire runs, [Ducting Not Included]); partition wall w/pocket door – 4.5" overall wall width; walk on roof; 7000# drop leg jack – tag trailer; front/rear scissor jack pair (5000# capacity ea.); ST235/80R16LRE spare on silver wheel; in-floor spare tire compartment; additional 58" side ramp door – AdvanTech floor; upgrade side ramp door floor to black coin rubber; upgraded side ramp door to include 28" side door combo; additional 36" door; stainless steel fold out grab handle w/grips; FMVSS lock; commercial grab handle for entry door; additional tinted window to side entry door; 36" x 24" egress window w/slider; day/night shade window; .040 exterior aluminum; 17 ft awning w/Weatherguard; 26 ft black coin rubber floor (does not include ramp); (2) exterior 120V receptacles on GFI protected circuit</p> <p><b>Selected Features:</b> 12kW Onan Diesel Generator Package</p>	\$68,971.76

		(120V/240V): fuel compartment, 13 GAL above frame fuel tank, 20" x 36" fuel door, generator wiring and prep, remote start, insulated generator compartment, 48" x 36" generator door, auto transfer switch; upgrade to 24 GAL in-frame fuel tank w/fuel gauge; 50A breaker box w/exterior motorbase plug & 25 ft shore cord; 50A @ 240V; 100A @120V; (4) interior 120V receptacles GFI protected where required by code; (2) 13.5K BTU A/C (ducting not Included); (2) 1,000W 110V heater (wall mount); screwless aluminum walls and ceiling; insulated walls and ceiling; (4) additional recessed floor D-Rings (5000# capacity); Roof Package: 8 ft NFPA non-slip ATP; 4 sided viewing rail, safety chain at ladder, aluminum up and over ladder, ladder mounted 6" from wall; (2) aluminum slide in/out steps – non-slip grid step; Equipment Rack: 84" tall, 24" x 84" x 22.6", fits standard 19" rack mount equipment, caster kit, bracing kit, glass front cabinet, cooling fan, (6) 20A 120V outlets on separate circuits; safety package required; (1) Sentry Gun Safe	
	22022-26	Upgrade to Ducted A/C	\$988.78
	MOTCOM8526TA5	Upgrade to Tandem 7000# axles	\$988.78
	MOTCOM8526TA6	Upgrade to Tandem 8000# axles	\$4,566.93
	ATCCOM8526TA4	Upgrade Aluminum Frame	\$8,055.11
	189	Single Post Hydraulic Jack	\$2,152.77
	190	Auto Leveling System	\$7,535.15
	9598	Install Customer's Mast	\$1,911.25
	6921	8 ft Slide out w/Topper Awning	\$9,246.57
	113	Aluminum Wheels w/Stainless Steel Nuts	\$632.66
	CECTTA4	(2) Additional Workstations	\$5,028.17
	24105-06031	42" Flat Panel TV w/ext comp	\$4,840.64
	CEC-20890-08756-26	Premium Interior Package	\$3,058.20
	CEC-NFPA26	NFPA Package	\$7,485.90
<b>SIN</b>	<b>MFG MODEL/ PART NUMBER</b>	<b>OPTION DESCRIPTION</b>	<b>GSA PRICE</b>
190-05	MOTGCOM8542TTA5/ 42TTA5	<p>Base Unit Mobile Command Trailer; Polar White .040; (3) 7000# Torsion Axles; 8.5 ft x W x 42 ft L x 8 ft H</p> <p><b>Standard Features:</b></p> <p><b>FRAME:</b> Fully undercoated steel frame; all-tube walls and ceiling torsion axles; EZ Lube hubs; electric brakes – all axles; Gel Cell battery breakaway kit; 2-5/16" ball/coupler, safety chains and hooks; 16" O/C floor and roof cross members and wall supports; single speed manual jack; smooth aluminum radius wheel boxes; flat front design</p> <p><b>INTERIOR:</b> AdvanTech sub floor; open stud walls and ceiling; wire grommets; Command Center Bathroom: sink and cabinet, bathroom hardware, 12V power roof vent, 120V GFI receptacle, 24" fluorescent light, 12V dome light, vanity mirror, porcelain toilet, 80 GAL fresh water tank, 45 GAL. Gray tank, 24 GAL Black tank, 2.5 GAL electric water heater, 5.7 GPM water pump; Command Center Kitchenette: 6 cu ft refrigerator – 3-way cabinet for refrigerator, kitchen sink and cabinet, microwave installed above fridge, 18" 12V fluorescent light; 32" Flat Panel LCD TV; 42" Flat Panel LCD TV for exterior compartment; TV Prep – includes all outlets and wiring: 120V receptacle, composite RCA connection, backer for future LCD TV install; Communication Package: per (7)</p>	\$95,259.33

		<p>Workstations – (2) 120V receptacles, (2) CAT5 data ports, (1) voice port, all wire runs to one location; upgrade to reverse beavertail; (23) upper aluminum cabinets (16" H x 14" D); (23) stainless steel countertops; laminate conference table w/removable legs; (2) rollover sleeper/sofas, 84" L; (safety package required, Egress Window; welded partition wall for bunk;</p> <p><b>EXTERIOR:</b> 3" upper/lower rub rail trim; .030 aluminum; polished front verticals; color coordinated rivets on seams; one-piece aluminum roof; gray mod wheels w/chrome cap; ATP enclosed front; LT235/85R16LRE radial tires; L.E.D. clearance and Slim Line brake lights; partition wall w/pocket door – 4.5" overall wall width; walk on roof; additional 58" side ramp door – AdvanTech floor; upgraded side ramp door floor to gray coin rubber; upgraded side ramp door to include 28" side door combo; additional 36" 405 series door; FMVSS lock; additional tinted window to side entry door; 36" x 24" egress window w/slider; day/night shade; 17 ft. awning w/Weatherguard; 42 ft gray coin rubber floor (does not include ramp); (2) exterior 120V receptacles on GFI protected circuit</p> <p><b>Selected Features:</b> 20kW PowerTech Diesel Generator Package (120V/240V): 24 GAL in frame fuel tank, air bag isolators, generator wiring and prep, remote start, insulated generator compartment, 54" x 36" generator door w/shocks, exhaust vented through roof, upgrade to second 50A breaker box, additional motorbase plug &amp; shore cord, (2) automatic transfer switches; 50A breaker box w/exterior motorbase plug &amp; 25 ft shore cord: 50A @ 240V; 100A @120V; (4) interior 120V receptacles GFI protected where required by code; (3) 13.5K BTU A/C (ducting not included); (3) 1,000W 110V heater (wall mount); Roof Package: 8 ft NFPA non-slip ATP, 4 sided viewing rail, safety chain at ladder, aluminum up and over ladder, ladder mounted 6" from wall; (2) aluminum slide in/out steps – non-slip grid step; stainless steel fold out grab handle w/grips; commercial grab handle for entry door; Exterior compartment for LCD TV: exterior door w/gas shocks, fits up to 65" LCD TV; Rear scissor jacks (5000# capacity each (pair); duel post hydraulic jack for goose – includes 12V battery; 17 ft awning w/Weatherguard; (4) recessed floor D-Rings (5000# capacity); 54" x 34" top hinged baggage door; insulated walls and ceiling; screwless aluminum walls and ceiling; Equipment Rack: 84" tall, 24" x 84" x 22.6", fits standard 19" rack mount equipment, caster kit, bracing kit, glass front cabinet, cooling fan, (6) 20A 120V outlets on separate circuits; safety package required; Sentry Gun Safe</p>	
	22022-42	Upgrade to Ducted A/C	\$1,484.11
	MOTGCOM8542TTA6	Upgrade to Tandem 8000# axles	\$4,491.16
	ATCGCOM8542TTA5	Upgrade to Aluminum Frame	\$15,375.27
	189	Single Post Hydraulic Jack	\$2,152.77
	190	Auto Leveling System	\$7,535.15
	9598	Installation of Customer's Mast	\$1,911.25
	7934	12 ft Slide-out w/Topper Awning	\$11,882.36
	118	All Aluminum Wheels w/Stainless Steel Lug Nuts	\$866.60
	7873	(2) Additional Workstations	\$5,028.17
	24105-06031	42" Flat Panel TV w/exterior compartment	\$4,840.64
	CEC-20890-0875-42	Premium Interior Package	\$5,410.80
	CEC-NFPA42	NFPA Package	\$9,776.00